

Disturbed thought processes

Nr.	Nursing Diagnosis	Date	Nursing Intervention/s and tasks	Sign.
	<p>Disturbed thought processes</p> <p>Related factors:</p> <ul style="list-style-type: none"> Alteration of circulation Alteration of drug metabolism or excretion Brain tissue destruction Hypoxemia, CNS infection by HIV Psychological conflicts <p>Symptoms / Risk factors:</p> <ul style="list-style-type: none"> Cognitive dissonance Distractibility Egocentricity Hypervigilance Hypovigilance Inaccurate interpretation of environment Inappropriate nonreality based thinking Memory deficit/problems <p>Outcome / Goal:</p> <ul style="list-style-type: none"> Demonstrate behaviors to change/prevent malnutrition Maintain usual reality orientation and optimal cognitive f. The person will maintain reality orientation and communicate 		<p>Reality Orientation</p> <ul style="list-style-type: none"> Adhere strictly to nutritional regimen Ask yes,no or multiple choice questions Assist with diagnostic studies, such as MRI, CT scan, Be aware of client's distorted thinking ability Correct wrong answers immediately Encourage client to do as much as possible Have specific places for specific items and keep the items in their proper place Keep sentences short and clear Maintain a pleasant environment with appropriate Present information as concretely as possible 	